

DOI	10.12691/ajbr-4-4-3
Title	Drug resistant <i>Staphylococcus aureus</i> in clinical samples at Kampala International University-teaching hospital, Bushenyi District, Uganda.
Authors	Janet Nalwoga, Michael Tirwomwe, Albert Nyanchoka Onchweri, Josephat Nyabayo Maniga, Cyprian Mose Nyaribo, Conrad Ondieki Miruka
Journal	<i>American Journal of Biomedical Research</i>
Year	2016
Abstract	পটভূমি (Background): মেথিসিলিন-প্রতিরোধী স্ট্যাফাইলোকক্কাস অরিয়াস(MRSA) একটি অন্যতম প্রধান নোসোকোমিয়াল (হাসপাতাল-অর্জিত) প্যাথোজেন, যা প্রায়শই এমন কিছু সংক্রমণের সৃষ্টি করে যার চিকিৎসা করা বেশ কঠিন। এর কারণ হলো, এই প্যাথোজেনটি সাধারণত অন্যান্য বহুল ব্যবহৃত অ্যান্টিবায়োটিকের প্রতিও প্রতিরোধী (Resistant) হয়ে থাকে। উগান্ডার বিভিন্ন অঞ্চলে রোগীদের মধ্যে ওষুধ-প্রতিরোধী MRSA-এর উপস্থিতি পূর্বে নথিভুক্ত করা হয়েছে। তবে, পশ্চিম উগান্ডার 'কাম্পালা ইন্টারন্যাশনাল ইউনিভার্সিটি টিচিং হসপিটাল' (Kampala International University Teaching Hospital)-এর জন্য এর আগে কোনো তথ্য পাওয়া যায়নি। তাই, সার্জারি ওয়ার্ডে ভর্তি থাকা রোগীদের মধ্যে MRSA স্ট্রেইনের প্রাদুর্ভাব (Prevalence) এবং অ্যান্টিবায়োটিক প্রতিরোধ ক্ষমতা নির্ধারণের উদ্দেশ্যে এই গবেষণাটি পরিচালনা করা হয়। পদ্ধতি (Methods): সার্জারি ওয়ার্ডে ভর্তি থাকা পুরুষ ও মহিলা রোগীদের ক্ষত থেকে সোয়াব (Swab) নমুনা সংগ্রহ করা হয়েছিল। পরবর্তীতে নমুনাগুলো উপযুক্ত মাধ্যমে কালচার (Cultured) করা হয়। প্রাপ্ত স্ট্যাফাইলোকক্কাস অরিয়াস কলোনিগুলোকে MRSA স্ট্রেইন হিসেবে শনাক্ত করার জন্য অক্সাসিলিন প্রতিরোধের পরীক্ষা করা হয়েছিল। তাছাড়া, বিভিন্ন অ্যান্টিবায়োটিক ব্যবহার করে ডিস্ক ডিফিউশন (Disc diffusion) পদ্ধতির মাধ্যমে MRSA আইসোলেটগুলোর অ্যান্টিবায়োটিক প্রতিরোধ ক্ষমতা নির্ধারণের হয়েছিল। ফলাফল (Results): ক্লিনিক্যাল নমুনা থেকে প্রাপ্ত ১১৪টি আইসোলেটের (Isolates) মধ্যে কেবল ৭৫টি আইসোলেট স্পষ্টভাবে <i>S. aureus</i> হিসেবে শনাক্ত করা হয়েছিল; যার মধ্যে ৮৫.৩% ছিল কোয়াণ্ডলেজ-পজিটিভ এবং ১৩.৩% ছিল কোয়াণ্ডলেজ-নেগেটিভ। মেথিসিলিন-প্রতিরোধী স্ট্যাফাইলোকক্কাস অরিয়াস-এর প্রাদুর্ভাবের হার পাওয়া গেছে ৫৬.১%। MRSA আইসোলেটগুলোর মধ্যে সিপ্রোফ্লক্সাসিনের প্রতি সর্বোচ্চ প্রতিরোধ ক্ষমতা এবং সেফট্রিয়াক্সোনের প্রতি সর্বনিম্ন প্রতিরোধ ক্ষমতা লক্ষ্য করা গেছে। উপসংহার (Conclusion): সার্জারি ওয়ার্ডের রোগীদের মধ্যে MRSA-এর এই উচ্চ প্রাদুর্ভাব প্যাথোজেনটির আরও বিস্তার রোধে উপযুক্ত ব্যবস্থা গ্রহণের দাবি রাখে। ভবিষ্যতে এই ধরনের কঠিন সংক্রমণ প্রতিরোধে সঠিক

	পদক্ষেপ বা হস্তক্ষেপের পরিকল্পনা করতে, এই ওষুধ-প্রতিরোধী MRSA স্ট্রেনগুলোর উৎস নির্ধারণ করার সুপারিশ করা হচ্ছে।
Volume	4
Issue	4
Page numbers	94-98
References	1. Appelbaum PC. “MRSA—the tip of the iceberg”. <i>Clin Microbiol Infect.</i> 12(Suppl 2):3–10. 2006 2. Brown DF, Edwards DI, Hawkey PM, et al, on behalf of the Joint Working Party of the British Society for Antimicrobial Therapy, Hospital Infection Society, Infection Control Nurses Association. “Guidelines for the laboratory diagnosis and susceptibility testing of methicillin- resistant Staphylococcus aureus (MRSA)”. <i>J Antimicrob Chemother</i> 56:1000–18. 2005 3. Francis JS, Doherty MC, Lopatin U, Johnston CP, Sinha G, Ross T et al. “Severe community-onset pneumonia in healthy adults caused by methicillin-resistant Staphylococcus aureus carrying the Panton-Valentine leukocidin genes”. <i>Clin Infect Dis.</i> 40:100–7. 2005 4. Healy CM, Hulten KG, Palazzi DL, Campbell JR, Baker CJ. “Emergence of new strains of methicillin-resistant Staphylococcus aureus in a neonatal intensive care unit”. <i>Clin Infect Dis.</i> 39:1460–6. 2004 5. Saxen S, Singh K. and Talwar V. “Methicillin Resistance Staphylococcus aureus prevalence in Community in East Delhi area”. <i>Jpn J Infect Dis.</i> 56:54-56. 2003

	6. Ojulong J, Mwambu TP, Joloba M, Bwanga F, Kaddu-Mulindwa DH. “Relative prevalence of methicillin resistant <i>Staphylococcus aureus</i> and its susceptibility pattern in Mulago Hospital, Kampala, Uganda”. <i>Tanzan J Health Res</i> 11: 149–153. 2009 7. Moremi N, Mshana SE, Kamugisha E, Kataraihya J, Tappe D, et al. “Predominance of methicillin resistant <i>Staphylococcus aureus</i> -ST88 and new ST1797 causing wound infection and abscesses”. <i>J Infect Dev Ctries</i> 6: 620–625. 2012 8. Ojikan-Odeke. M.Med. dissertation on “Hand infections in Uganda”. 19-40. 1978 9. Mugisa D.B. M. Med Surgery dissertation on “Complications following laparotomy in Mulago Hospital”. 59-156. 1988 10. Olaro .C. M.Med Surgery dissertation on “Study to assess risk factors for Postoperative Complication following abdominal Surgery in Mulago hospital”. 1-3. 1999 11. Kitara LD, Anywar AD, Acullu D, Odongo-Aginya E, Aloyo J, Fendu M. “Antibiotic susceptibility of <i>Staphylococcus aureus</i> in suppurative lesions in Lacor Hospital, Uganda”. <i>African Health Sciences.</i> 11 (S1): S34 - S39. 2011 12. Shanson DC. “Antibiotic Resistant <i>Staph aureus</i>”. <i>J Hospit infect.</i> 2:11-16. 1981 13. Boyce JM. “Increasing prevalence of MRSA in the USA”. <i>J Infect Control and Hospital Epidemiol.</i> 11:639-642. 1990
--	--

	14. Kateete D, Kimani C, Katabazi F, Okeng A, Okee M, Nanteza A, Joloba M, Najjuka F. "Identification of Staphylococcus aureus: DNase and Mannitol salt agar improve the efficiency of the tube coagulase test". <i>Annals of Clinical Microbiology and Antimicrobials</i> 9(1):23. 2010 15. Bull AL, Worth LJ, Richards MJ. "Impact of Vancomycin Surgical Antibiotic Prophylaxis on the Development of Methicillin-Sensitive Staphylococcus aureus Surgical Site Infections: Report From Australian Surveillance Data (VICNISS)". <i>Annals of surgery</i>. 256 (6): 1089-1092. 2012 16. Kateete DP, Namazzi S, Okee M, Okeng A, Baluku H, Musisi NL, et al. "High prevalence of methicillin resistant Staphylococcus aureus in the surgical units of Mulago hospital in Kampala, Uganda". <i>BMC Research Notes</i>. 4:326. 2011 17. J Ojulong, T Mwambu, M Jolobo, E Agwu, F Bwanga, C Najjuka, D Kaddu-Mulindwa. "Prevalence of Methicillin resistant Staphylococcus aureus (MRSA) among isolates from surgical site infections in Mulago hospital- Kampala, Uganda". <i>The Internet Journal of Infectious Diseases</i>. Volume 7 Number 2. 2008 18. Jean-Marie Liesse Iyamba, José Mulwahali Wambale, Cyprien Mbundu Lukukula, Ntongo za Balega Takaisi-Kikuni. "High prevalence of methicillin resistant staphylococci strains isolated from
--	---

	surgical site infections in Kinshasa”. <i>Pan African Medical Journal</i>. 18:322. 2014 19. Bashir Mwambi, Jacob Iramiot, Freddie Bwanga, Marthae Nakaye, Herbert Itabangi and Joel Bazira. “Clindamycin Resistance among <i>Staphylococcus Aureus</i> Isolated at Mbarara Regional Referral Hospital, in South Western Uganda”. <i>British Microbiology Research Journal</i> 4(12): 1335-1344. 2014 20. Jeremiah Seni, Christine F Najjuka, David P Kateete, Patson Makobore, Moses L Joloba, Henry Kajumbula, <i>et al.</i> “Antimicrobial resistance in hospitalized surgical patients: a silently emerging public health concern in Uganda”. <i>BMC Research Notes</i> 6:298. 2013 21. Najat Buzaid, Abdel-Naser Elzouki, Ibrahim Taher, Khalifa Sifaw Ghenghesh. “Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) in a tertiary surgical and trauma hospital in Benghazi, Libya”. <i>J Infect Dev Ctries</i>. 5(10):723-726. 2011 22. Ching Jou Lim, Allen C. Cheng, Jacqueline Kennon, Denis Spelman, Dayna Hale, Gabrielle Melican <i>et al.</i> “Prevalence of multidrug-resistant organisms and risk factors for carriage in long-term care facilities: a nested case-control study”. <i>J Antimicrob Chemother</i> 2014. 23. Meng Xiao, He Wang, Ying Zhao, Lei-Li Mao, Mitchell Brown, Yun-Song Yu <i>et al.</i> “National Surveillance of Methicillin-Resistant <i>Staphylococcus aureus</i> in China Highlights a Still-Evolving
--	---

	Epidemiology with 15 Novel Emerging Multilocus Sequence Types”. <i>Journal of Clinical Microbiology</i> 51 (11): 3638–3644. 2013 24. Alain C. Juayang, Gemma B. de los Reyes, April Joy G. de la Rama, Christine T. Gallega. “Antibiotic Resistance Profiling of <i>Staphylococcus aureus</i> Isolated from Clinical Specimens in a Tertiary Hospital from 2010 to 2012”. <i>Interdisciplinary Perspectives on Infectious Diseases</i> 898457: 4. 2014 25. Obianuju Onelum, Babatunde Odetoyin, Anthony Onipede and Adesola Oyelese. “The Role of Methicillin-Resistant <i>Staphylococcus aureus</i> in Clinical infections in Obafemi Awolowo University Teaching Hospitals Complex, Ile-Ife, South Western Nigeria”. <i>Journal of Microbiology & Experimentation</i>. 2(2): 00041. 2015 26. Rita Khanal, Prakash Sah, Pramila Lamichhane, Apsana Lamsal, Sweetly Upadhaya and Vijay Kumar Pahwa. “Nasal carriage of methicillin resistant <i>Staphylococcus aureus</i> among health care workers at a tertiary care hospital in Western Nepal”. <i>Antimicrobial Resistance and Infection Control</i>. 4:39. 2015 27. Cosgrove SE, Qi Y, Kaye KS, Harbarth S, Karchmer AW, Carmeli Y. “The impact of methicillin resistance in <i>Staphylococcus aureus</i> bacteremia on patient outcomes: mortality, length of stay, and hospital charges”. <i>Infect Control Hosp Epidemiol</i>. 26:166–74. 2005
--	--

	28. Gastmeier P, Schwab F, Sohr D, Behnke M, Geffers C. “Reproducibility of the surveillance effect to decrease nosocomial infection rates”. <i>Infect Control Hosp Epidemiol.</i> 30:993–9. 2009 29. G. Sganga, C. Tascini, E. Sozio, M. Carlini, P. Chirletti, F. Cortese et al. “Focus on the prophylaxis, epidemiology and therapy of methicillin-resistant <i>Staphylococcus aureus</i> surgical site infections and a position paper on associated risk factors: the perspective of an Italian group of surgeons”. <i>World Journal of Emergency Surgery</i> 11:26. 2016 30. Rubin RJ, Harrington CA, Poon A, Dietrich K, Greene JA, Moiduddin A. “The economic impact of <i>Staphylococcus aureus</i> infection in New York City hospitals”. <i>Emerg Infect Dis.</i> 5:9–17. 1999 31. Pandya N, Chaudhary A, Mehta S, Parmar R. “Characterization of Methicillin Resistant <i>Staphylococcus aureus</i> from various clinical samples at Tertiary care hospital of rural Gujarat”. <i>J Res Med Den Sci.</i> 2(3):49-53. 2014
--	---